

| Number | Hits | Search Text | DB | Time stamp |
|--------|--------|--|---|------------------|
| 1 | 44 | Acusol\$ same ("820") | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:22 |
| 2 | 186487 | acrylic same (polymer or copolymer or resin) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:23 |
| 3 | 5223 | silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101") | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:25 |
| 4 | 121947 | abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:26 |
| 5 | 143927 | alkanol or isopropanol or isopropyl same alcohol | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:27 |
| 6 | 5638 | mineral adj spirits | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:27 |
| 7 | 23 | (Acusol\$ same ("820")) and (acrylic same (polymer or copolymer or resin)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:27 |
| 8 | 0 | (silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) and ((Acusol\$ same ("820")) and (acrylic same (polymer or copolymer or resin))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:27 |
| 9 | 1 | (Acusol\$ same ("820")) and (silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:28 |
| 10 | 25115 | ((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and ((abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay) or (alkanol or isopropanol or isopropyl same alcohol) or (mineral adj spirits)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:29 |
| 11 | 406 | (silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) and (((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and ((abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay) or (alkanol or isopropanol or isopropyl same alcohol) or (mineral adj spirits))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:04 |
| 12 | 6374 | (polishing or polish) same composition | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:05 |
| 13 | 19 | ((silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) and (((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and ((abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay) or (alkanol or isopropanol or isopropyl same alcohol) or (mineral adj spirits)))) and ((polishing or polish) same composition) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:05 |

| Number | Hits | Search Text | DB | Time stamp |
|--------|--------|--|---|------------------|
| 1 | 44 | Acusol\$ same ("820") | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:22 |
| 2 | 186487 | acrylic same (polymer or copolymer or resin) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:23 |
| 3 | 5223 | silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101") | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:25 |
| 4 | 121947 | abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:26 |
| 5 | 143927 | alkanol or Isopropanol or Isopropyl same alcohol | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:27 |
| 6 | 5638 | mineral adj spirits | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:27 |
| 7 | 23 | (Acusol\$ same ("820")) and (acrylic same (polymer or copolymer or resin)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:27 |
| 8 | 0 | (silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) and ((Acusol\$ same ("820")) and (acrylic same (polymer or copolymer or resin))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:27 |
| 9 | 1 | (Acusol\$ same ("820")) and (silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:28 |
| 10 | 25115 | ((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and ((abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay) or (alkanol or Isopropanol or Isopropyl same alcohol) or (mineral adj spirits)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 08:29 |
| 11 | 406 | (silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) and (((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and ((abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay) or (alkanol or Isopropanol or Isopropyl same alcohol) or (mineral adj spirits))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:04 |
| 12 | 6374 | (polishing or polish) same composition | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:05 |
| 13 | 19 | ((silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) and (((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and ((abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay) or (alkanol or Isopropanol or Isopropyl same alcohol) or (mineral adj spirits)))) and ((polishing or polish) same composition) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:06 |

| | | | | |
|----|------|--|---|------------------|
| 14 | 1773 | ((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and (mineral adj spirits) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:06 |
| 15 | 44 | (silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) and (((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and (mineral adj spirits)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:07 |
| 16 | 27 | ((abrasive or aluminum same silicate or Kaopolite\$ same ("1168") or calcined adj kaolin adj clay) or (alkanol or isopropanol or isopropyl same alcohol)) and ((silicone adj fluid or silicone\$ same ("SWS") or ("SWS") same ("101")) and (((Acusol\$ same ("820")) or (acrylic same (polymer or copolymer or resin))) and (mineral adj spirits))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2001/10/25 09:07 |

Patent Examiner's Tools

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L10: (25115) (1 or 2) and (4 or 5 or 6)
☐ L11: (406) 3 and 10
☐ L12: (6374) (polishing or polish) same co
☐ L13: (19) 11 and 12
☐ L14: (1773) (1 or 2) and 6
☐ L15: (44) 3 and 14
☐ L16: (27) (4 or 5) and 15

Failed
Saved

Search

DBs: ☐ Plurals ☐ Synonyms

Default operator: ☒ Highlight all hit terms initially

| | U | I | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|-------------------------------------|-------------------------------------|--------------|------------|-------|--|------------|------------------------|
| 10 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6013323 A | 20000111 | 9 | Silicone gel waxes and silicone gel protectants | 427/384 | 106/3 ; 252/8.57 |
| 11 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5962074 A | 19991005 | 12 | Wax composition and method of use | 427/322 | 427/355 ; 427/358 |
| 12 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5912116 A | 19990615 | 55 | Methods of measuring analytes with barrier webs | 435/5 | 435/7.92 ; 436/518 |
| 13 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5874164 A | 19990223 | 54 | Barrier webs having bioactive surfaces | 428/306.6 | 424/278.1 ; 424/443 |
| 14 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5869172 A | 19990209 | 47 | Internally-coated porous webs with controlled positioning of modifiers | 428/306.6 | 128/849 ; 128/888 |
| 15 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5856245 A | 19990105 | 54 | Articles of barrier webs | 442/76 | 128/849 ; 128/888 |
| 16 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5426142 A | 19950620 | 13 | Single package ambient curing polymers | 524/156 | 427/387 ; 524/166 |
| 17 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5357007 A | 19941018 | 6 | Method for making a solventless silicone pressure sensitive adhesive | 525/478 | 525/474 ; 528/10 |
| 18 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5290545 A | 19940301 | 7 | Hair treatment with blended silicones | 424/70.122 | |
| 19 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5246972 A | 19930921 | 18 | Polish containing highly adsorptive polymer | 521/54 | 521/122 ; 521/149 |
| 20 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5194251 A | 19930316 | 9 | Hair treatment with zwitterionomeric siloxanes | 424/70.122 | 424/70.12 |

Start 10/25/... EAST - [...]

9:13 AM

Patent Examiner's Tool

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L12: (6374) (polishing or polish) same co
☐ L14: (1773) (1 or 2) and 6
☐ L15: (44) 3 and 14
☐ L16: (27) (4 or 5) and 15
☐ L7: (23) 1 and 2
☐ L9: (1) 1 and 3
☐ L13: (19) 11 and 12
☐ Failed
☒ Saved

Search:
 DB: ☐ Plurals ☐ Synonyms
 Default operator: ☒ Highlight all hit terms initially

☒ BR6 form ☒ ISAR form ☐ Image ☐ Text

| | U | I | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|-------------------------------------|-------------------------------------|--------------|------------|-------|---|------------|----------------------|
| 1 | <input type="checkbox"/> | <input type="checkbox"/> | US 5849838 A | 19981215 | 8 | Aqueous scratch cover compositions for finished wooden articles | 524/804 | 106/3 ; 524/310 |
| 2 | <input type="checkbox"/> | <input type="checkbox"/> | US 5567428 A | 19961022 | 23 | Topical personal care composition containing polysiloxane-grafted | 424/401 | 424/443 ; 424/445 |
| 3 | <input type="checkbox"/> | <input type="checkbox"/> | US 5445670 A | 19950829 | 6 | Abrasive-containing surface-finish composition | 106/3 | 106/10 ; 106/36 |
| 4 | <input type="checkbox"/> | <input type="checkbox"/> | US 5428107 A | 19950627 | 13 | Silane-modified floor finish vehicles | 525/102 | 428/447 |
| 5 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5294435 A | 19940315 | 4 | Stabilization of emulsion additives to nail polish removers | 424/61 | 424/78.37 |
| 6 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5246972 A | 19930921 | 18 | Polish containing highly adsorptive polymer | 521/54 | 521/122 ; 521/149 |
| 7 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5182693 A | 19930126 | 17 | Magnetic disk | 360/135 | |
| 8 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5160761 A | 19921103 | 17 | Method for making a magnetic disk | 427/548 | 427/128 ; 427/130 |
| 9 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5140486 A | 19920818 | 13 | Magnetic recording and reproduction | 360/125 | 360/135 |
| 10 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 4963432 A | 19901016 | 7 | One step polishing wiper | 442/165 | 428/447 ; 428/913 |
| 11 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4869934 A | 19890926 | 6 | Floor polishing and coating composition | 427/393.5 | 524/145 ; 524/517 |

Start ☐ Clock: 10/25... Proxima SSD ☐ Inbox: M... Microsoft... EAST 9:36 AM

